



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D2572
Job Sheet 197160



Part No: D2572

Job Qty: 12 pcs

Part Name: Saddle, Fwd, In



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 7/2/19

Job Tracking No:

Due Date: 7/26/19

Created By: Marie Lajeunesse

Type: Stock

Description:

Note: DWG REV F IPP: I 02.10.02 Re-format; Change to Dwg Rev. D & incorporated D2572 KJ

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Machining - Issue SN	12 pcs	7/26/19		0.00	0.00	HAAS - 1		VHS 19/7/15
							HAAS - 2		
							HAAS - 3		
							HAAS - 4		
100	HAAS 4 Axis - B4B	12 pcs	7/26/19		1.00	19.35	HAAS - 1 - B4B		VHS 19/7/19
							HAAS - 2 - B4B		
							HAAS - 3 - B4B		
							HAAS - 4 - B4B		
110	Conventional Mill - 1 - B4B	12 pcs	7/26/19		0.00	1.92	Conventional Mill - 1 - B4B		VHS 19/7/19
							Conventional Mill - 2 - B4B		
120	QC 2	12 pcs	7/26/19		0.00	0.00	QC 2 - 1		VHS 19/7/19
							QC 2 - 12		
							QC 2 - 14		
							QC 2 - 17		
							QC 2 - 19		
							QC 2 - 2		
							QC 2 - 20		
							QC 2 - 22		
							QC 2 - 23		
							QC 2 - 25		
							QC 2 - 32		
							QC 2 - 33		
							QC 2 - 35		
							QC 2 - 39		
							QC 2 - 4		
							QC 2 - 40		
							QC 2 - 44		
							QC 2 - 45		
							QC 2 - 48		
							QC 2 - 49		



Container No: S197727



Part: D2572
Job No: 197160
Serial No/Batch: S197727

Revision:

Inspector:

Exp Date:

Instructions: Various STC's

Date: 07/14/19

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

				QC 2 - 50	
				QC 2 - 51	
				QC 2 - 52	
				QC 2 - 57	
				QC 2 - 62	
				QC 2 - 63	
				QC 2 - 8	
				QC 2 - 66	
				QC 2 - 64	
				QC 2 - 65	
				QC 2 - 5	
				QC 2 - 71	
				QC 2 - 73	
				QC 2 - 69	
130	QC 8	12 pcs	7/26/19	0.00 0.00	QC 8 - 12
					QC 8 - 14
					QC 8 - 17
					QC 8 - 20
					QC 8 - 25
					QC 8 - 3
					QC 8 - 32
					QC 8 - 33
					QC 8 - 35
					QC 8 - 39
					QC 8 - 4
					QC 8 - 44
					QC 8 - 45
					QC 8 - 49
					QC 8 - 58
					QC 8 - 8
					QC 8 - 9
					QC 8 - 68
					QC 8 - 67
					QC 8 - 1 (A)
					QC 8 - 47
					QC 8 - 40
					QC 8 - 52
					QC 8 - 23
					QC 8 - 57
140	Handfinish - 1-1 Chemical-B4B	12 pcs	7/26/19	0.00 0.49	Handfinish - 1 - 1 - B4B
					Handfinish - 1 - 2 - B4B
					Handfinish - 1 - 3 - B4B
					Handfinish - 1 - 4 - B4B
					Handfinish - 1 - 5 - B4B
					Handfinish - 1 - 6 - B4B
					Handfinish - 1 - 7 - B4B
					Handfinish - 1 - 8 - B4B
					Handfinish - 1 - 9 - B4B
					Handfinish - 1 - 10 - B4B
					Handfinish - 1 - 11 - B4B
					Handfinish - 1 - 12 - B4B
					Handfinish - 1 - 13 - B4B
					Handfinish - 1 - 14 - B4B
					Handfinish - 1 - 15 - B4B

JS 19-07-23

JUL 25 2019

						Handfinish - 1 - 16 - B4B	
						Handfinish - 1 - 17 - B4B	
						Handfinish - 1 - 18 - B4B	
						Handfinish - 1 - 19 - B4B	
						Handfinish - 1 - 20 - B4B	
						Handfinish - 1 - 21 - B4B	
						Handfinish - 1 - 22 - B4B	
150	Powdercoat - 1 White Gl(A)- B4B	12 pcs	7/26/19	0.00	0.46	Powdercoat - 1 - B4B	
						Powdercoat - 2 - B4B	
						Powdercoat - 3 - B4B	
						Powdercoat - 4 - B4B	
160	QC 3	12 pcs	7/26/19	0.00	0.00	QC 3 - 10	
						QC 3 - 13	
						QC 3 - 15	
						QC 3 - 17	
						QC 3 - 18	
						QC 3 - 2	
						QC 3 - 28	
						QC 3 - 3	
						QC 3 - 30	
						QC 3 - 34	
						QC 3 - 36	
						QC 3 - 41	
						QC 3 - 51	
						QC 3 - 58	
						QC 3 - 59	
						QC 3 - 68	
						QC 3 - 9	
						QC 3 - 40	
						QC 3 - 19	
						QC 3 - 43	
						QC 3 - 24	
						QC 3 - 61	
						QC 3 - 81	
170	Packaging 3-1 - Stock - B4B	12 pcs	7/26/19	0.00	0.00	Packaging 3 - 1 - B4B	
						Packaging 3 - 2 - B4B	
						Packaging 3 - 3 - B4B	
						Packaging 3 - 4 - B4B	
						Packaging 3 - 5 - B4B	
						Packaging 3 - 6 - B4B	
						Packaging 3 - 7 - B4B	
						Packaging 3 - 8 - B4B	
						Packaging 3 - 9 - B4B	
						Packaging 3 - 10 - B4B	
						Packaging 3 - 11 - B4B	
						Packaging 3 - 12 - B4B	
						Packaging 3 - 13 - B4B	
						Packaging 3 - 14 - B4B	
						Packaging 3 - 15 - B4B	
						Packaging 3 - 16 - B4B	
						Packaging 3 - 17 - B4B	
						Packaging 3 - 18 - B4B	
						Packaging 3 - 19 - B4B	

				Packaging 3 - 20 - B4B	
				Packaging 3 - 21 - B4B	
				Packaging 3 - 22 - B4B	
				Packaging 3 - 23 - B4B	
				Packaging 3 - 24 - B4B	
				Packaging 3 - 25 - B4B	
				Packaging 3 - 26 - B4B	
				Packaging 3 - 27 - B4B	
				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	
180 QC 21 - SA	12	7/26/19	0.00 0.00	QC 21 - SA - 21	DAS
	pcs			QC 21 - SA - 70	21
				QC 21 - SA - 53	3-09

AUG 07 2019

Part Op **100** - (HAAS CNC vertical machine #1) Program Batch No. 5197107 Double check by mm 1-Machine Step No 1
 Descriptions: per Folio FA051 and inspect per attached Dimension Sheets 3-Machine Step No 3 per Folio FA051 and insp
110 - (Manufacture as per dwg) Machine keyway as per dwg D2571 & D2572
120 - (QC2- Inspect parts off machine FAI/FAIB)
130 - (QC8- Inspect parts - second check)
140 - (Chemical Conversion Coat per QSI005 4.1)
150 - (White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum) START TIME: _____ FINISH TIME: _____
160 - (QC3- Inspect Part Finish)
170 - (Identify as per dwg & Stock Location: _____)
180 - (QC21- Final Inspection - Work Order Release)

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
D6101-005	Saddle Billet	12 pcs (1 ea)	90-Machining - Issue SN	5196167

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Machining - Issue SN	D6101-005	12	11	0

Part Specifications

Spec No	Description	Target/Tolerance	Limits	Type	Special Comments
1	Saddle, Fwd Inboard	0.438Inches + 0.005 - 0.000	0.443 0.438		
2	Saddle, Fwd Inboard	1.745Inches + 0.010 - 0.000	1.755 1.745		
3	Saddle, Fwd Inboard	3.495Inches + 0.010 - 0.000	3.505 3.495		
4	Saddle, Fwd Inboard	1.745Inches + 0.010 - 0.000	1.755 1.745		
5	Saddle, Fwd Inboard	7.990Inches + 0.020 - 0.000	8.010 7.990		
6	Saddle, Fwd Inboard	0.490Inches + 0.020 - 0.000	0.510 0.490		
7	Saddle, Fwd Inboard	0.257Inches + 0.005 - 0.000	0.262 0.257		
8	Saddle, Fwd Inboard	0.375Inches + 0.005 - 0.000	0.380 0.375		
9	Saddle, Fwd Inboard	0.490Inches + 0.020 - 0.000	0.510 0.490		
10	Saddle, Fwd Inboard	1.174Inches + 0.010 - 0.000	1.184 1.174		

11	Saddle, Fwd Inboard	0.558Inches	+ 0.020 - 0.000	0.578 0.558
12	Saddle, Fwd Inboard	1.174Inches	+ 0.010 - 0.000	1.184 1.174
13	Saddle, Fwd Inboard	1.490Inches	+ 0.010 - 0.000	1.500 1.490
14	Saddle, Fwd Inboard	2.495Inches	+ 0.010 - 0.000	2.505 2.495
15	Saddle, Fwd Inboard	3.869Inches	+ 0.010 - 0.000	3.879 3.869
16	Saddle, Fwd Inboard	0.115Inches	+ 0.020 - 0.000	0.135 0.115
17	Saddle, Fwd Inboard	0.115Inches	+ 0.020 - 0.000	0.135 0.115
18	Saddle, Fwd Inboard	0.240Inches	+ 0.020 - 0.000	0.260 0.240
19	Saddle, Fwd Inboard	0.115Inches	+ 0.020 - 0.000	0.135 0.115
20	Saddle, Fwd Inboard	0.178Inches	+ 0.020 - 0.000	0.198 0.178
21	Saddle, Fwd Inboard	2.940Inches	+ 0.040 - 0.000	2.980 2.940
22	Saddle, Fwd Inboard	0.230Inches	+ 0.020 - 0.000	0.250 0.230
23	Saddle, Fwd Inboard	0.115Inches	+ 0.020 - 0.000	0.135 0.115
24	Saddle, Fwd Inboard	0.307Inches	+ 0.005 - 0.000	0.312 0.307
25	Saddle, Fwd Inboard	0.760Inches	+ 0.005 - 0.000	0.765 0.760
26	Saddle, Fwd Inboard	0.352Inches	+ 0.020 - 0.000	0.372 0.352
27	Saddle, Fwd Inboard	0.470Inches	+ 0.060 - 0.000	0.530 0.470
28	Saddle, Fwd Inboard	0.615Inches	+ 0.020 - 0.000	0.635 0.615
29	Saddle, Fwd Inboard	0.053Inches	+ 0.020 - 0.000	0.073 0.053
30	Saddle, Fwd Inboard	0.240Inches	+ 0.020 - 0.000	0.260 0.240
31	Saddle, Fwd Inboard	1.375Inches	+ 0.020 - 0.000	1.395 1.375
32	Saddle, Fwd Inboard	0.115Inches	+ 0.020 - 0.000	0.135 0.115
33	Saddle, Fwd Inboard	0.240Inches	+ 0.040 - 0.000	0.280 0.240
34	Saddle, Fwd Inboard	0.240Inches	+ 0.020 - 0.000	0.260 0.240
35	Saddle, Fwd Inboard	2.000Inches	+ 0.020 - 0.000	2.020 2.000
36	Saddle, Fwd Inboard	0.023Inches	+ 0.020 - 0.000	0.043 0.023

Plex 7/2/19 9:59 AM Dart.lajeunesse.marie

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS			
		Skid-tube ☐ Machining ☐ Large Fab ☐	Cross tube ☐ Small Fab ☐ Finishing ☐	Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐	Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐
Date :	Sequence #:	QTY Affected :			MRB (QSI042)
Description Work Order Deviation		Disposition			Completed By
					Lead hand / Supervisor
					QC / QA Coordinator
Root Cause		FAULT CATEGORY			
Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐	☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled	☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function	☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up	☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread	
Other/Details:					

DART AEROSPACE LTD		Work Order: 197160
Description: Saddle, Fwd Inboard		Part Number: D2572
Inspection Dwg: D2572 Rev. F		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				1	2	3	4		
A	0.438	0.443		0.438	0.438	0.438	0.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		7.999	7.998	7.999	7.999		
F	0.490	0.510		0.500	0.500	0.500	0.499		
G	0.257	0.262		0.257	0.257	0.257	0.258		
H	0.375	0.380		0.375	0.375	0.375	0.375		
I	0.490	0.510		0.499	0.499	0.498	0.499		
J	1.174	1.184		1.180	1.180	1.180	1.179		
K	0.558	0.578		0.565	0.565	0.565	0.566		
L	1.174	1.184		1.180	1.180	1.180	1.179		
M	1.490	1.500		1.493	1.495	1.495	1.495		
N	2.495	2.505		2.499	2.500	2.500	2.500		
O	3.869	3.879		3.873	3.874	3.874	3.874		
P	0.115	0.135		0.138	0.135	0.135	0.135		
Q	0.115	0.135		0.124	0.124	0.124	0.124		
R	0.240	0.260		0.251	0.253	0.253	0.253		
S	0.115	0.135		0.131	0.131	0.132	0.131		
T	0.178	0.198		0.188	0.188	0.188	0.188		
U	2.940	2.980		2.966	2.960	2.960	2.960		
V	0.230	0.250		0.242	0.245	0.245	0.245		
W	0.115	0.135		0.129	0.128	0.128	0.128		
X	0.307	0.312		0.311	0.311	0.312	0.312		
Y	0.760	0.765		0.760	0.760	0.760	0.760		
Z	0.352	0.372		0.363	0.366	0.366	0.366		
AA	0.470	0.530		0.500	0.500	0.500	0.500		
AB	0.615	0.635		0.623	0.623	0.622	0.622		
AC	0.053	0.073		0.061	0.065	0.065	0.065		
AD	0.240	0.260		0.255	0.255	0.255	0.255		
AE	1.375	1.395		1.385	1.385	1.385	1.385		
AF	0.115	0.135		0.135	0.133	0.130	0.130		
AG	0.240	0.280		0.245	0.245	0.245	0.250		
AH	0.240	0.260		0.255	0.255	0.255	0.256		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		0.033	0.033				

Accept/Reject

DAS

Measured by: VHS	SBL
Date: 19/7/15	19/07/16

Audited by: 20	19-07-23
Date: 9-09	

Rev	Date	Change	Revised by	Approved
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	

DART AEROSPACE LTD		Work Order: 197160
Description: Saddle, Fwd Inboard		Part Number: D2572
Inspection Dwg: D2572 Rev. F		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				#5	#6	#7	#8		
A	0.438	0.443		0.438	0.438	0.438	0.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.000	8.000	8.000	8.000		
F	0.490	0.510		0.500	0.500	0.500	0.500		
G	0.257	0.262		0.257	0.257	0.257	0.257		
H	0.375	0.380		0.375	0.375	0.375	0.375		
I	0.490	0.510		0.498	0.498	0.498	0.498		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		0.565	0.565	0.565	0.565		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.490	1.500		1.495	1.495	1.495	1.495		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	3.869	3.879		3.874	3.874	3.874	3.874		
P	0.115	0.135		0.135	0.135	0.135	0.135		
Q	0.115	0.135		0.124	0.124	0.124	0.124		
R	0.240	0.260		0.253	0.253	0.253	0.253		
S	0.115	0.135		0.132	0.128	0.128	0.127		
T	0.178	0.198		0.188	0.188	0.188	0.188		
U	2.940	2.980		2.960	2.960	2.960	2.960		
V	0.230	0.250		0.240	0.240	0.240	0.239		
W	0.115	0.135		0.128	0.128	0.128	0.128		
X	0.307	0.312		0.312	0.312	0.310	0.311		
Y	0.760	0.765		0.760	0.760	0.760	0.760		
Z	0.352	0.372		0.366	0.364	0.365	0.365		
AA	0.470	0.530		0.500	0.500	0.500	0.500		
AB	0.615	0.635		0.622	0.623	0.623	0.622		
AC	0.053	0.073		0.067	0.065	0.065	0.063		
AD	0.240	0.260		0.250	0.251	0.250	0.250		
AE	1.375	1.395		1.385	1.385	1.385	1.385		
AF	0.115	0.135		0.127	0.128	0.127	0.127		
AG	0.240	0.280		0.260	0.260	0.260	0.260		
AH	0.240	0.260		0.253	0.252	0.252	0.258		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		0.033	0.033	0.033	0.033		

Accept/Reject

Measured by: 38L	Audited by: 20
Date: 19/07/17	Date: 19-07-23

Rev	Date	Change	Revised by	Approved
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	

DART AEROSPACE LTD		Work Order: 197 160
Description: Saddle, Fwd Inboard		Part Number: D2572
Inspection Dwg: D2572 Rev. F		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				#9	#10	#11	#12		
A	0.438	0.443		0.438	0.438	0.438	0.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.000	8.000	8.000	7.998		
F	0.490	0.510		0.500	0.500	0.500	0.5005		
G	0.257	0.262		0.257	0.257	0.257	0.257		
H	0.375	0.380		0.375	0.375	0.375	0.375		
I	0.490	0.510		0.499	0.499	0.499	0.498		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		0.565	0.565	0.564	0.565		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.490	1.500		1.495	1.495	1.495	1.495		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	3.869	3.879		3.874	3.874	3.874	3.874		
P	0.115	0.135		0.129	0.130	0.130	0.130		
Q	0.115	0.135		0.124	0.121	0.121	0.121		
R	0.240	0.260		0.253	0.250	0.250	0.250		
S	0.115	0.135		0.128	0.128	0.127	0.126		
T	0.178	0.198		0.188	0.188	0.188	0.188		
U	2.940	2.980		2.960	2.960	2.960	2.960		
V	0.230	0.250		0.241	0.241	0.239	0.239		
W	0.115	0.135		0.125	0.125	0.126	0.128		
X	0.307	0.312		0.310	0.310	0.310	0.310		
Y	0.760	0.765		0.760	0.760	0.760	0.760		
Z	0.352	0.372		0.365	0.365	0.365	0.365		
AA	0.470	0.530		0.500	0.500	0.500	0.500		
AB	0.615	0.635		0.623	0.623	0.623	0.623		
AC	0.053	0.073		0.060	0.060	0.062	0.061		
AD	0.240	0.260		0.250	0.250	0.250	0.250		
AE	1.375	1.395		1.385	1.385	1.385	1.385		
AF	0.115	0.135		0.125	0.130	0.130	0.130		
AG	0.240	0.280		0.260	0.260	0.260	0.260		
AH	0.240	0.260		0.258	0.258	0.258	0.250		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		0.033	0.033	0.033	0.033		

Accept/Reject

Measured by: SBL	Audited by: DAS
Date: 19/07/18	Date: 19-07-23

Rev	Date	Change	Revised by	Approved
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	